

# Flail Mover PTO Attached Tractor's



พรเจริญ  
เครื่องจักรกล

PORNCHAROEN MACHINERY

The Leader in Mowing Solutions  
and Agricultural Machinery

## STOP BURNING START SHREDDING

(Cut, Shred, Enrich Soil, Reduce Burning, Reduce PM2.5 Dust)



#Y Blade

#Hammer Blade

#Y Blade for Palm Frond Cutting

095-194-4594

HOT LINE 089-091-5789



pcmthailand



PCM พรเจริญเครื่องจักรกล



@pcmmachinery



@pcm2299

facebook



pcmthailand



LINE ID

[www.pcm-machinery.net](http://www.pcm-machinery.net)

42/8 Moo 10, Khok Kham Subdistrict, Mueang Samut Sakhon District, Samut Sakhon Province 74000

E-mail : [info@pcm-machinery.net](mailto:info@pcm-machinery.net)

# Flail Mover PTO

Attached Tractor's



พรเจริญ  
เครื่องจักรกล



Shields from grass, rocks, and wood chips

**Safe for users** with a special horizontal cutting system. Cuts 6-12 times finer than regular lawn mowers.



Powerful cutting shaft 2,000 RPM

✓ Features specially designed rollers to protect blades during cutting, with a grass and debris chamber and cover that prevents harm to users from rocks and branches. Does not fling debris sideways.

✓ Powerful, strong, and durable cutting shaft. Floats above the ground with powerful flail blades.



Height-Adjustable Skid

✓ PTO is compact, making it agile to use, and lighter than conventional tractor-mounted lawn mowers.

✓ Height-adjustable skids. Can handle all situations. Cuts grass very short and smooth. Can be used for football fields.



095-194-4594  
HOT LINE 089-091-5789

f pcmthailand    y PCM พรเจริญเครื่องจักรกล    t @pcmmachinery    @pcm2299

[www.pcm-machinery.net](http://www.pcm-machinery.net)

facebook



# Flail Mover PTO

Attached Tractor's



**พีเอ็ม**  
เครื่องจักรกล

## Types of Blades

### Details and Differences in Usage



Lawn Mower Blade Type  
**#Y-blade**  
The real deal for cutting

Can effectively cut tough grass, vines, and creeping plants.

*Specially designed in a Y-shape*

Y-shaped lawn mower blades increase the cutting area in a single pass, allowing for faster grass cutting.



Lawn Mower Blade Type  
**#Hammer Blade**  
Superior Cutting Power

Can easily cut hard bushes and stems up to 2 inches thick, such as Leucaena trees.

*Specially designed with a hammer head shape (Hammer Blade)*

Sharp lawn mower blades provide continuous cutting, smooth and even results, even in overgrown areas. Designed to cut with more centrifugal force than simple sharp edges.



Lawn Mower Blade Type  
**#Y-blade for Palm Frond Cutting**  
Cuts thick grass and palm fronds

Specifically designed to cut palm fronds and coconut fronds. For denser than normal grass and exceptionally tough plants.

*Specially designed in a Y-shape with 2 additional side cutting edges*

Y-shaped lawn mower blades increase the cutting area in a single pass, allowing for faster grass cutting and adding side sharpness for cutting palm fronds and coconut fronds.

## General Features

**Strong, durable, long-lasting.**

Made from high-quality steel, impact-resistant, not easily broken. Hardened for extended lifespan.

**Suitable for all types of grass cutting.**

Whether it's normal grass, overgrown grass, or medium-sized weeds, the Y-blade can handle it. Compatible with EXC-L/H excavator-mounted mowers, ATV mowers, PTO-L/H tractor-mounted mowers, and Durian models.

**Balanced weight, smooth cutting, no vibration**

Designed for left-right balance, stable rotation, no shaking. Reduces vibration during high-speed and prolonged use.

- ✓ Enhances grass cutting efficiency
- ✓ Reduces time and labor
- ✓ Cost-effective in the long run



095-194-4594  
MOBILE 089-091-5789



pcmthailand



PCM พีเอ็มเครื่องจักรกล



@pcmmachinery



@pcm2299

[www.pcm-machinery.net](http://www.pcm-machinery.net)

facebook



# Flail Mover PTO

Attached Tractor's



**พีเอ็ม**  
เครื่องจักรกล

## Details of PTO-L and PTO-H Tractor-Mounted Lawn Mowers

Model	PTO-L 100	PTO-L 120	PTO-H 140	PTO-H 160	PTO-H 180	PTO-H 200
<b>Dimensions</b>	1210x909x945 mm.	1401x909x945 mm.	1601x909x945 mm.	1801x909x945 mm.	2001x909x945 mm.	2201x909x945 mm.
<b>Weight</b>	222 / 232 kg.	238 / 248 kg.	260 / 270 kg.	307 / 317 kg.	325 / 335 kg.	355 / 365 kg.
<b>Y-Blade</b>	✓	✓	✓	✓	✓	✓
<b>Hammer Blade</b>	✓	✓	✓	✓	✓	✓
<b>Y-blade for Palm Frond Cutting</b>	✓	✓	✓	✓	✓	✓
<b>Number of Blades (Y-Blade)</b>	16 sets = 32 blades	18 sets = 36 blades	22 sets = 44 blades	24 sets = 48 blades	28 sets = 56 blades	30 sets = 60 blades
<b>Number of Blades (Hammer Blade)</b>	12 sets = 12 blades	14 sets = 14 blades	16 sets = 16 blades	18 sets = 18 blades	20 sets = 20 blades	24 sets = 24 blades
<b>Number of Blades (Y-Blade for Palm Frond Cutting)</b>	16 sets = 32 blades	18 sets = 36 blades	22 sets = 44 blades	24 sets = 48 blades	28 sets = 56 blades	30 sets = 60 blades
<b>Working Width</b>	100 CM.	120 CM.	140 CM.	160 CM.	180 CM.	200 CM.
<b>Power Source</b>	PTO 540/750 (for all models)					
<b>Transmission System</b>	Chain Gear (for all models)					
<b>Operating Speed</b>	1800-2500 RPM (for all models)					
<b>Recommended Tractor Size</b>	15 HP and up	27 HP and up	36 HP and up	47 HP and up	50 HP and up	50 HP and up
<b>Color</b>						
<b>Warranty</b>	3 months spare parts warranty - for all models					



095-194-4594  
MOBILE 089-091-5789

pcmthailand 
 PCM พีเอ็มเครื่องจักรกล 
 @pcmmachinery 
 @pcm2299

[www.pcm-machinery.net](http://www.pcm-machinery.net)

facebook



42/8 Moo 10, Khok Kham Subdistrict, Mueang Samut Sakhon District, Samut Sakhon Province 74000

E-mail : [info@pcm-machinery.net](mailto:info@pcm-machinery.net)